



KILGORE



Where Civic Pride Is Justified

BACKFLOW PREVENTION ASSEMBLY TEST AND MAINTENANCE REPORT

(Illegible or Incomplete Reports Will Not Be Accepted)

Name of PWS: City of Kilgore

PWS I.D. # 0920003

Mailing Address: P.O. Box 990

Kilgore, Texas 75663-0990

Resident/Business Name: _____

Physical Address: _____

The backflow prevention assembly detailed below has been tested and maintained as required by TCEQ regulations and is certified to be operating within acceptable parameters.

TYPE OF ASSEMBLY

- | | |
|---|--|
| <input type="checkbox"/> Reduced Pressure Principle | <input type="checkbox"/> Reduced Pressure Principle-Detector |
| <input type="checkbox"/> Double Check Valve | <input type="checkbox"/> Double Check-Detector |
| <input type="checkbox"/> Pressure Vacuum Breaker | <input type="checkbox"/> Spill-Resistant Pressure Vacuum Breaker |

Manufacturer _____ Size _____

Model Number _____ Located At _____

Serial Number _____

Is the assembly installed in accordance with manufacturer recommendations and/or local codes? Yes No

	Reduced Pressure Principle Assembly			Pressure Vacuum Breaker	
	Double Check Valve Assembly		Relief Valve	Air Inlet	Check Valve
	1st Check	2nd Check			
Initial Test	Held at _____ psid Closed Tight <input type="checkbox"/> Leaked <input type="checkbox"/>	Held at _____ psid Closed Tight <input type="checkbox"/> Leaked <input type="checkbox"/>	Opened at _____ psid Did not open <input type="checkbox"/>	Opened at _____ psid Did not Open <input type="checkbox"/>	Held at _____ psid Leaked <input type="checkbox"/>
Repairs and Materials Used					
Test After Repair	Held at _____ psid Closed Tight <input type="checkbox"/>	Held at _____ psid Closed Tight <input type="checkbox"/>	Opened at _____ psid	Opened at _____ psid	Held at _____ psid

Test gauge used: Make/Model _____ SN: _____ Calibration Date: _____

Remarks: _____

The above is certified to be true at the time of testing.

Firm Name _____ Certified Tester _____

Firm Address _____ Cert. Tester No. _____ Date _____

Firm Phone # _____

* TEST RECORDS MUST BE KEPT FOR AT LEAST THREE YEARS

** USE ONLY MANUFACTURER'S REPLACEMENT PARTS